

Annual Report ZUI5 Centre for Advanced Structural Analysi











































Partner logos2	- Structural Joints
Contents3	- Protective Structures
Summary4	Technology transfer19
Vision and objective5	- Methods and Tools19
Goals and research plan6	- Industrial Implementation
Research organization8	Test facilities
International cooperation and leading-edge research13	Visibility22
Research programmes	Personnel
- Lower Scale14	- PhD candidates, Post docs, Recruitment29
- Metallic Materials	Publications and annual accounts30
- Polymeric Materials16	

CONTACT - RESPONSE

Professor Magnus Langseth Dr. ing., Centre Director Phone: +47 73 59 47 82. Mobile: +47 930 37 002 Email: magnus.langseth@ntnu.no

Peter Karlsaune, Coordinator Phone: +47 73 59 46 72, Mobile: + 47 450 02 177

Email: peter.karlsaune@ntnu.no

Albert H. Collett. **Communication Officer** Phone: +47 73 59 07 93.

Mobile: +47 917 66 127 Email: albert.collett@ntnu.no

Website: https://www.ntnu.edu/casa Newsletter: http://sfi-casa.no

Postal address: SFI CASA,

Department of Structural Engineering, NTNU, NO-7491 Trondheim, Norway

Office location: NTNU. Richard Birkelands vei 1a. Trondheim, Norway

All partners were well represented

at the SFI CASA kickoff in Trondheim, September 2015.

Photos:

All photos this section except pp. 20-25: Ole Morten Melgård

Layout:

NTNU Grafisk Senter

CASA (Centre for Advanced Structural Analysis) officially opened on 1 July 2015. The aim is to become a world-leading centre for multi-scale testing, modelling and simulation of materials and structures for industrial applications.

The research group SIMLab (Structural Impact Laboratory) at NTNU (Norwegian University of Science and Technology) provided the foundation for CASA. The research group's activity culminated in the SFI by the same name, SFI SIMLab (2007-2014), which became a world leader in the design of crashworthy and protective structures.

Organization

CASA is also an SFI – a Centre for Research-based
Point of departure Innovation*. It is hosted by the Department of Structural Engineering in close cooperation with the Department of Materials Science and Engineering and the Department of Physics at NTNU. SINTEF Materials and Chemistry is 1. How can we establish accurate, efficient and robust a research partner.

Benteler Aluminium Systems Norway AS, BMW Group, material? DNV-GL AS, Gassco AS, Honda R&D Americas Inc., 2. How can we apply knowledge of material, geometry Hydro Aluminium AS, Ministry of Local Government and joining technology to obtain optimal behaviour of and Modernisation, Norwegian Defence Estates Agency, hybrid structures for given load situations? Norwegian National Security Authority, Norwegian 3. How can we describe the interaction between the Public Roads Administration. Sapa AB. SSAB. Statoil load and the deformable structure under extreme Petroleum AS and Toyota Motor Europe.

SFI CASA's board comprises representatives from all the partners. A director heads the daily operation, assisted by a core team and programme heads. A Scientific Advisory Board of international experts has been appointed to five basic research programmes to increase the modelling of aluminium High Pressure Die Castings.

provide scientific and strategic advice. In addition, CASA has established an Industrial Reference Group to oversee and facilitate industrial implementation.

Generic research

The Centre will develop validated computational tools for innovation with and for the partners working in the oil and gas industry, in transportation and with physical security. Although the partners represent different fields they have similar needs in advanced structural analysis. The basic research in the Centre is pre-competitive the industrial partners. and generic. This facilitates cooperation and transfer of knowledge across business sectors. A multi- and Kick-off interdisciplinary research approach based on multiscale testing, modelling and analysis in an industrial context is applied.

Another characteristic is the top-down/bottom-up In 2015, research work in the Centre resulted in 16 papers Citizen, Italy, approach. The main goal is always the final structure of the product.

Based on discussions with the partners, the Centre has formulated three research questions as its point of

- constitutive models based on the chemical composition, The industrial partners are Aker Solutions, Audi AG, microstructure and thermo-mechanical processing of a defended their theses in 2015:

 - loading scenarios?

Motivated by these questions, the Centre has defined Octavian Knoll: A probabilistic approach in failure

prediction accuracy of numerical simulations: Lower Scale. Metallic Materials. Polymeric Materials. Structural Joints, and Protective Structures.

contributions from PhD candidates, post docs and scientists from the partners.

The Methods and Tools and the Industrial Implementation activities serve as links between the basic research and the industrial need for the technology developed and are gathered in the SIMLab Tool Box for implementation at

SFI CASA held its kick-off meeting on 16 September 2015 with all partners well represented and its first board meeting on the following day.

published in peer-reviewed journals. The research group has given 17 seminar and conference contributions. **Visibility** including 2 keynote and 2 invited lectures.

Some of the PhD projects in SFI SIMLab were not finished at its closure on 31 December 2014. They continue in SFI CASA as parallel projects as the topics are closely related. Three PhD candidates at SFI SIMLab

Mikhail Khadyko: Experimental and numerical study Last, but not least, scientific accomplishments of yielding, work-hardening and anisotropy in textured AA6xxx alloys using crystal plasticity models.

and strain rates.

International cooperation and leading-edge research are fundamental to an SFI. The key researchers in CASA Each programme has annual work plans with all have an extensive international network. Three of the professors are editors of leading international journals. SFI CASA has cooperated with the following universities and research laboratories in 2015:

> Ecole Normale Supérieure de Cachan/Laboratorie de Mécanique et Technologie (ENS/LMT), France; Federal University of Rio de Janeiro, Brazil; University of São Paulo, Brazil; Department of Materials Science and Engineering, University of Toyama, Japan; Department of Metallurgy and Ceramics Science, Tokyo Institute of Technology, Japan; Karlsruhe Institute of Technology, Germany; IMPETUS Afea AB, Sweden; Joint Research Centre, Institute for the Protection and Security of the


CASA's media strategy aims at popular science presentations of its research activities. It is also an aim to make female researchers particularly visible in order to recruit female researchers and contribute to a more even gender balance in this research field.

The popularized part of this report exemplifies how the strategies are carried out. It contains articles from the monthly newsletter that was established in September

increase visibility. In 2014, the Research Council of Norway invited three international panels to carry out an evaluation of 64 technological research groups in Vincent Vilamosa: Behaviour and modelling of AA6xxx Norway. The results were published in 2015. Two of the aluminium alloys under a wide range of temperatures 64 qualified as world leaders in their field. SIMLab was one of them

> * For further explanation of the SFI scheme, see page two in the other side of this report.

D



Objective

The Centre will develop validated computational tools for innovation together with and for partners in the oil and gas industry, the transportation industry (automotive and infrastructure along Norwegian roads) and in industry and public enterprises working with physical security (protection of critical infrastructure that could be subjected to terrorist acts and sabotage). Even though these partners represent different business sectors, they have similar needs in advanced structural analysis because the underlying theories and formulations behind the different computer tools are the same. Accordingly, the basic research in the Centre is precompetitive and generic in nature to facilitate cooperation between the user partners and hence transfer of knowledge across business sectors. This supports the success criteria defined by the Research Council of Norway for an SFI centre where research at a high international level aims to create a platform for innovation and value creation.

In order to facilitate the use of validated numerical simulations by the user partners and to meet their technology roadmaps and business plans for process and product development, a multi- and interdisciplinary research approach based on multiscale testing, modelling and analysis in an industrial context is required. This represents a major research initiative that is only achievable for a centre with long-term objectives and funding.

Thus the main objective with CASA is:

To provide a research and technology platform for the creation and development of smart, cost effective. safe and environmentally friendly structures and products through multiscale testing, modelling and simulation.

Goals

The main quantitative goals of the Centre are as follows:

advanced structural analysis at the user partners. 2) To ensure and environmentally friendly structures and products. This transfer of technology across business sectors. 3) To arrange industrial need is the basis for the three research questions will be given special attention. courses and case study seminars at the user partners. 4) To defined as the point-of-departure for the research activities facilitate concurrent research projects with the user partners. in CASA. The research questions encompass the entire first Polymeric Materials: This will develop and improve material 5) To facilitate employment of post docs, MSc and PhD five-year period as well as the potential subsequent three-year candidates at the user partners to strengthen the industrial period of the Centre, but additional research questions may implementation.

Academic: 1) To graduate 20 PhD candidates and employ 5 RQ1: How can we establish accurate, efficient and robust post docs. 2) To graduate 100-150 MSc students. 3) To attract constitutive models based on the chemical composition, 10 foreign professors/scientists to the Centre. 4) To publish microstructure and thermo-mechanical processing of a 100-150 papers in international peer-reviewed journals in material? addition to conference papers. 5) To arrange two international **RQ2:** How can we apply knowledge of material, geometry conferences

presentations of the research activities in magazines. the deformable structure under extreme loading scenarios? newspapers, on television, radio and the web, 2) To establish a media strategy where the female researchers are made Motivated by these research questions, five basic research particularly visible in order to recruit female PhDs and post programmes are defined in order to increase the prediction docs and contribute to a more even gender balance in this accuracy of numerical simulations. research field.

Research questions

extensive use of advanced numerical simulations will Industrial: 1) To develop methods and tools for credible improve their competiveness in making cost-effective, safe emerge in the later phases of the SFI.

and joining technology to obtain optimal behaviour of hybrid structures for given load situations?

Media: 1) To implement a strategy for popular science RQ3: How can we describe the interaction between the load and

length scales of materials, from atomic up to the micrometre scale, and will provide experimental and modelling input to the in a top-down/bottom-up multi-scale modelling approach in multi-scale framework from the lower scale.

damage and fracture of metallic materials. The main emphasis will be on aluminium alloys and steels. In many aluminium, polymers, glass, foams, ceramics and concrete.


Discussions with the partners have revealed that more critical structural applications, material properties beyond standard testing conditions are required; hence high and low temperatures, high pressures (from blast waves or water depths) and elevated rates of strain (including shock loading)

> models representing the thermo-mechanical response up to fracture for polymers, i.e. thermoplastics with or without fibre reinforcement and elastomers. The models will be developed for application in an industrial context. Particular attention is paid to validation and efficient identification of the parameters

> Structural Joints: This will provide validated computational models for multi-material joints applicable in large-scale finite element analyses. The scope is limited to the behaviour and modelling of structural joints made with screws, adhesive bonding and self-piercing rivets - as well as possible combinations of these. The considered materials are steel. aluminium and reinforced polymers.

Protective Structures: This will develop advanced computational tools and establish validated modelling guidelines for computer-aided design of safer and more Lower Scale: This programme concentrates on the lower cost- effective protective structures. Another objective will be to replace phenomenological models with physical models order to reduce the number of mechanical tests as much as possible in the design phase. The emphasis in this research **Metallic Materials:** This will develop a physically based and programme will not be on traditional fortification installations, experimentally validated multi-scale framework providing but on innovative lightweight and hybrid protective structures constitutive models for crystal plasticity, continuum plasticity, to meet the future needs of the user partners. Actual materials are those typically used in protective structures such as steel,

Research methodology and industrial implementation



Multi-scale testing, implementation Basic research Technology transfer SFI-CASA

Figure 2: Structure of research

Figure 1: Research methodology

The activities in CASA will represent a step change for advanced final structure or product. In some cases, microstructural structures, numerical solution techniques, experimental Figure 2 illustrates the important interlink between Basic just like the modelling scales (there is also a time scale which will be designed to obtain modelling frameworks on the between the computational model and the physical reality. reflects the duration of the physical events to be studied, but material and structural levels that are suitable for industrial this is not shown in the figure). By using a top-down/bottom-applications. Many research topics and activities are addressed up approach the main goal of the research will always be the on the various scales: testing and modelling of materials and

structural analysis for industry and public enterprises as it is modelling or even modelling on atomic scale may be required techniques, verification and validation approaches, and based on multi- and interdisciplinary research on different to understand the underlying physical mechanisms of the optimization methods and parametric studies. Verification & Tools programme is a synthesis of Basic research, where physical scales. The research methodology adopted to meet observed material response to loading, whereas for joints or is the process of determining that a computational model the overall objective is presented in Figure 1. As illustrated, a components the behaviour may be sufficiently well understood accurately represents the underlying mathematical model structure or product can be studied on different physical scales on the continuum scale. In all cases, research at the Centre and solution, whereas validation deals with the relationship

research, Technology transfer and Industry. The Methods quidelines and recommended practice for credible numerical structural analysis will be established. The Industrial implementation programme will be the link between the Methods & Tools programme and the industrial use of the research and technology developed at the Centre for Innovation.

Research organization




Figure 3 : Structure of the organization in 2015

The overall management structure of the Centre consists of a heads will also be responsible for the verification and validation board comprising members from the consortium participants, of the developed models and technology. Cooperation across Figure 3. The Board is to formulate the strategy for the Centre, the research programmes will ensure the transfer of technology approve annual operational plans, monitor the performance of and allow possible synergies. The Methods & Tools programme the Centre according to the performance indicators described will be the main instrument to link the research programmes in in the project description and annual targets, and propose the Centre and the Industrial implementation at the industrial corrective actions when needed. The Centre director will be in partners. Also these activities will be led by programme heads. charge of the operation of the Centre, assisted by a core team.
The Centre will have a clear strategy for the management of A Scientific Advisory Board of international experts will provide intellectual property issues, including any assignment for scientific and strategic advice. Each of the five research commercialization or development and the distribution of any programmes is led by a programme head. These programme commercial returns.



From left: Stéphane Dumoulin, Randi Holmestad, David Morin, Knut Marthinsen, Magnus Langseth, Odd-Geir Lademo, Tore Børvik, Odd Sture Hopperstad, Aase Gavina Reyes and Arild Holm Clausen.

RESEARCH ORGANIZATION

n RF9

RESEARCH ORGANIZATION

1

The Board

- Asbjørn Rolstadås (Chair), NTNU
- Duane Detwiler, Honda R&D Americas Inc.
- Agnes Marie Horn, DNV-GL AS
- Håvar Ilstad, Statoil Petroleum AS
- Andreas Koukal, Audi AG
- Helge Langberg, Norwegian Defence Estates Agency
- Joachim Larsson, SSAB
- Ernesto Mottola, Toyota Motor Europe
- Kjartan Pedersen, Aker Solutions
- Carsten Rapp, Norwegian National Security Authority
- Thorsten Rolf, BMW Group
- Rudie Spooren, SINTEF
- Svein Terje Strandli, Benteler Aluminium Systems Norway AS
- Jan Strid, Sapa AB
- Knut Syvertsen, Ministry of Local Government and Modernisation
- Hans Erik Vatne, Hydro Aluminium AS
- Normann Vikse, Gassco AS
- Gina Ytteborg, Norwegian Public Roads Administration

Scientific Advisory Board

- Professor Ahmed Benallal, LMT-Cachan, France
- Professor Em. David Embury, McMaster University, Canada
- Professor Jonas Faleskog, Royal Institute of Technology, Sweden
- Professor Norman Fleck, University of Cambridge, UK
- Professor Stefan Hiermaier, Ernst Mach Institute, Germany
- Professor John Hutchinson, Harvard University, USA

Centre Director

• Magnus Langseth, Professor, Dept. of Structural Engineering, NTNU

Core team and programme heads

- Tore Børvik, Professor, Dept. of Structural Engineering, NTNU
- Arild Holm Clausen, Professor, Dept. of Structural Engineering, NTNU
- Stéphane Dumoulin, Research Scientist, SINTEF Materials and Chemistry
- Randi Holmestad, Professor, Dept. of Physics, NTNU
- Odd Sture Hopperstad, Professor, Dept. of Structural Engineering, NTNU
- Odd-Geir Lademo*, Research Manager, SINTEF Materials and Chemistry
- Knut Marthinsen, Professor, Dept. of Materials Science and Engineering, NTNU
- David Morin, Associate Professor, Dept. of Structural Engineering, NTNU
- Aase Gavina Reyes, Professor, Dept. of Structural Engineering, NTNU

Administrative and key personnel

- Trond Auestad, Senior Engineer, Dept. of Structural Engineering, NTNU
- Torodd Berstad, Researcher, Dept. of Structural Engineering, NTNU
- Albert H. Collett, Communication Officer, Dept. of Structural Engineering, NTNU
- Egil Fagerholt, Researcher, Dept. of Structural Engineering, NTNU
- Peter Karlsaune, Project Coordinator, Dept. of Structural Engineering, NTNU
- Laila Irene Larsen, Accountant, Dept. of Structural Engineering, NTNU
- Tore Wisth, Staff Engineer, Dept. of Structural Engineering, NTNU

Partners

Host institution

NTNU

Research partner

SINTEF Materials and Chemistry

Industrial partners

- Aker Solutions
- Audi AG
- Benteler Aluminium Systems Norway AS
- BMW Group
- DNV-GL AS
- Gassco AS
- Honda R&D Americas Inc.
- Hydro Aluminium AS
- Ministry of Local Government and Modernisation
- Norwegian Defence Estates Agency
- Norwegian National Security Authority
- Norwegian Public Roads Administration
- Sapa AB
- SSAB
- Statoil Petroleum AS
- Toyota Motor Europe



From left: Tore Wisth, Peter Karlsaune,

Trond Auestad, Laila Irene Larsen, Albert H. Collett and Egil Fagerholt.

^{*}Adjunct Professor at Dept. of Structural Engineering (20% position)



Cooperation within the Centre and with the industrial partners

The basis for the annual work plans for 2015 was the project description in the SFI CASA application. Detailed planning of the research plans for 2016 and the following years was started up in autumn 2015.

Scientists from NTNU and SINTEF and PhD candidates at NTNU have been the main contributors to perform the research work, while the industrial partners have participated based on their defined contribution in kind. Benteler Aluminium Systems, DNV-GL AS and Hydro Aluminium AS are sponsoring one Adjunct Professor position each at the Department of Structural Engineering, NTNU. This ensures a link between the industry and the PhD and Master's students at SFI CASA.

The Core Team has a meeting every week led by the Centre Director. Every two weeks the group has had a seminar on a variety of issues in order to spread knowledge and information in the Centre's research group.

The cooperation with the industrial partners has been through telephone meetings and seminars. Representatives from all the partners in the Centre met in Trondheim on 16-17 September. The research activities were presented and discussed during a seminar on 16 September and the first SFI CASA Board meeting was held the day after on 17 September.





Lower Scale Head of Programme: Randi Holmestad

This programme concentrates on the lower length scales of The PhD of Christian Oen Paulsen (Department of to sub-zero degrees, gives input data for mathematical hardening for metallic materials, such as aluminium and steels, microstructure will be heterogeneous and the mechanical the local deformation. and a foundation for development of physically based models properties will strongly depend on the local variations and

The overall goal is to connect and coordinate the atom- and properties and in-situ testing using a scanning electron strain aging. microscale framework linking the models and the experiments microscope (SEM), with the possibility of cooling the material at the different scales. The results will provide a fundamental understanding of mechanical properties and deformation of metal structures in a multi-scale framework (from the nanoscale to the complete structure). This will work as a basis for achieving improved models and will be used in both model developments and validations.

In 2015 two PhD students were hired to do experiments on the lower scale. The PhD of Emil Christiansen (Department of Physics) is focused around micro- and nanostructure characterization of deformed aluminium alloys using transmission electron microscopy (TEM). The objective is to investigate the underlying physical mechanisms of ductile fracture at low stress triaxiality. In short, this PhD will be concerned with the interaction of dislocations with the aluminium microstructure. He wants to study which role the precipitation free zones (PFZs) play in ductile fracture. A systematic study of PFZs and how they change as a function of strain, quantitation of dislocation densities and type/density of hardening precipitates will be studied. These data will act as input to the different models used to describe deformation response and will be used to verify and develop numerical models in the related SFI CASA projects.

materials, from atomic up to micrometre scale, and will provide Materials Science and Engineering) focuses on combining models for understanding and describing the performance experimental and calculated input to the multi-scale framework experimental work and modelling activities to describe of heterogeneous materials based on the microstructure from the lower scale, see Figure 4. This will provide constitutive the correlation between microstructure and mechanical information. The experimental tests are combined with Digital models for microstructure evolution, strength and work properties in multiphase steel. In all structural materials the Image Correlation (DIC) to obtain detailed information about

for crystal plasticity, continuum plasticity, damage and fracture. the thermomechanical history of the material. A systematic During 2016 two new PhD students will be hired, one on experimental study including nanomechanical study of local atomistic and multiscale modelling and one within dynamic




Figure 4: In a multiscale framework the lower scale programme covers the micrometer and nanometer scales for modelling and experiments.


Metallic Materials Head of Programme: Odd Sture Hopperstad


(representing in an average sense the microstructural scale simulations of structures. However, the computational rearrangements of the material) as functions of the strain, micromechanical models developed here will be used for steel strain rate and temperature. In large-scale simulations of and polymers in other projects in CASA. structures, the framework of continuum thermo-mechanics research programme applies multi-scale methods to develop localization and fracture of these materials. validated constitutive models for large-scale simulations of metal structures. Thus the need for calibration of the These activities are in turn the PhD projects of Lars Edvard constitutive models against thermo-mechanical tests is Bryhni Dæhli (2013-2017) and Bjørn Håkon Frodal (2015-2019). reduced and the prediction accuracy of the models increased The first is a continued activity from SFI-SIMLab which is highly with respect to properties that are not always easily measured relevant for SFI-CASA, while the latter activity was started in by testing. Qualitative and quantitative descriptions at August 2015. In August 2016, Sondre Bergo will begin his different length scales are closely accompanied by well- PhD study in this programme. The tentative topic for his PhD designed experiments at the relevant length scales for the project is micromechanical modelling and simulation of steel phenomena of interest (from the nano-scale to the complete materials. structure), as a basis for achieving improved understanding, model development and model validation. The quantum. atomistic and nano scales are covered by the Lower Scale programme, while this programme deals with crystal plasticity and continuum plasticity at the micro, meso and macro scales. The themes of the two research activities in 2015 have been-

• Micromechanical modelling of ductile fracture in aluminium alloys: The principal objective of this project is to develop computational micromechanical models for strain localization and ductile fracture, see Figure 5. These mesoscale models are applied to aluminium alloys with various microstructures and

Constitutive models describe the stress and internal variables used to develop physically-based fracture models for large-

is typically adopted to formulate the constitutive models, • Ductile fracture of aluminium alloys at low stress triaxiality: while thermo-mechanical testing is used to identify the model an experimental and numerical study: The two main objectives parameters. Advanced constitutive models, including plastic of this project are a) to acquire new knowledge on the physical anisotropy, non-linear isotropic and kinematic hardening, mechanisms governing ductile fracture in aluminium alloys at strain-rate and temperature dependence, damage evolution low stress triaxiality by use of experiments at various scales and failure, tend to have a large number of model parameters. and computational cell simulations and b) to develop improved In close collaboration with the Lower Scale programme, this computational material models for damage evolution, strain





Polymeric Materials Head of Programme: Arild Holm Clausen

Polymers comprise a wide range of materials, including natural viscoplastic part. Depending on the material and problem at models for such materials are less mature than for metals. the thermo-mechanical behaviour is of utmost importance for implementing technology at the user partners. successful development of material models.

Materials is to develop and improve material models be finished. It contains development of robust methods for representing the thermo-mechanical response up to fracture experimental characterization as well as a constitutive model for polymers. The models will be developed for application in that is able to represent the stress-strain curve at different an industrial context. Particular attention is paid to validation strain rates and temperatures. Petter Henrik Holmstrøm and efficient identification of the parameters involved in the started his PhD project on the modelling of fibre-reinforced models. Actual materials include commodity thermoplastics materials in August 2013. Improved material models should (like PE and PP, commonly reinforced with small mineral in some way take the distribution of fibre orientation angles and/or rubber particles), fibre-reinforced thermoplastics, into account. A preliminary computer tomography (CT) scan elastomers and foams made of polymers.

The research activities in 2015 have been within the following shows promising results.

- Modelling of polymers.
- Characterization and modelling of large-strain response of ductile thermoplastics.
- Characterization and modelling of glass-fibre reinforced

2012. The polymer model now includes a hypoviscoelastic— and Toyota.

and synthetic materials. The demand for such materials hand, the viscoelastic and viscoelastic parts may be switched has increased considerably during the last few decades. on or off. Anisotropic elasticity, which is relevant for fibre-Applications include safety-related parts in cars, coatings, reinforced polymers, is also implemented in the model. thermal insulation in offshore components, seals and inter- Further, three damage models are included. For validation, glass layers in laminated windows. The finite element method there has been cooperation with Toyota for a couple of years. has only recently been employed as a tool in the design
It was continued in 2015 through the master's thesis of John process of parts made of polymers. Therefore, constitutive Fredrick Berntsen, which was carried out at Toyota Motor Europe's Technical Centre in Brussels from January to June. Prediction of fracture is also a topic of interest for research and
This joint master thesis served to enhance the application industry. Knowledge about the physical mechanisms governing of the model at Toyota, and seems to be an adequate way of

The large-strain response of ductile thermoplastics has been The main objective of the research programme Polymeric the topic of Marius Andersen's PhD project, which is about to of a polypropylene reinforced with glass fibres, see Figure 6,

> The three first activities are continuation activities from SFI SIMLab which are highly relevant for SFI CASA. Sindre Olufsen has been engaged to work on the PhD project on the modelling of ductile fracture in the period 2015 - 2019.

The interaction with the industrial partners engaged in the • Start-up of a new PhD project on modelling of ductile failure. Polymeric Materials programme is maintained through annual technical meetings. Such a meeting was arranged in Munich in The first of these projects has gained major attention since early November 2015, and gathered Audi, BMW, Gassco, Statoil





Figure 6: Computer tomography (CT) scan of glassfibre – reinforced polypropylene (PP).



The need for multi-material structures in the automotive, accurate representation of the connections and their failure modelling strategy, see Figure 7. This strategy involves testing In 2015, a PhD project was started with John Fredrick how the connections will behave and fail in the numerical polymers. simulations used by the designers. Today, large shell elements

are used for computational efficiency which hampers an We will meet this objective using a multi-scale testing and

offshore and physical security industries is becoming modes due to a poor discretization of these complex problems. at different scales from the material within the connector, Berntsen. He will be working on the joining of fibre reinforced increasingly important to meet the requirements in terms of The aim of this research programme is to provide macroscopic through single connector tests, to the final component performance and weight reduction of their products. Often, the models for multi-material connections which are based on level. Each of these testing levels is important to gain the PhD will involve static to dynamic testing and a strong focus behaviour of a structure is strongly linked to its connections a fundamental understanding of the structural joints. These fundamental understanding of the connections of interest. will be placed on industry friendly macroscopic models. and their capacities to sustain and transfer the applied load to models should be industry-friendly in terms of computational In terms of numerical modelling, mesoscopic models where Two PhD projects (started in 2013 but relevant to SFI CASA) its different members. In this perspective, the design of multi- time as well as calibration cost. Here multi-material the connections are represented with solid elements will be were continued in 2015. Erik Grimsmo is working on bolted material structures has to be carried out taking into account connections involve aluminium, steel and fibre reinforced employed to increase the knowledge behind the behaviour and connections in steel structures subjected to impact loading failure of structural joints. However, macroscopic models are conditions, whereas Johan Kolstø Sønstabø is working on the final outcome of the programme.

polymers and aluminium alloys using structural bonding. His flow-drill screws connections in aluminium structures under crash loading.

Protective Structures Head of Programme: Tore Børvik

Design against accidental loads, such as explosions, impacts modelling guidelines for computer-aided design of safer and and collisions, has become increasingly important for a more cost-effective protective structures. Another objective number of engineering and industrial applications. To meet is to replace phenomenological models with physical models the challenges posed by such complex loading conditions, in a top-down/bottom-up multi-scale modelling approach in product development and structural analysis are increasingly order to reduce the number of mechanical tests as much as carried out in virtual environments using the finite element possible in the design phase. This will be carried out in close method to achieve safer and more cost-effective designs. The collaboration with the other projects within CASA. fundamental goal of protective structures is to improve the survivability of people and vital infrastructure to a given threat. The main research activities in 2015 have been: It is important to realize that the protective structure is the last layer of defence against a threat when all other protective • Experimental and numerical study on the perforation of and experimental basis. To do so, accurate, efficient and robust constitutive models and solution techniques used in a multiscale modelling context are required. Further, new designs subjected to blast loading (Vegard Aune's PhD project). need to be validated through high-precision experiments • Fragmentation of window glasses exposed to blast loading involving advanced instrumentation such as three-dimensional (Karoline Osnes' PhD project). digital image correlation for full-field displacement and strain • Impact against coated and uncoated offshore steel pipes measurements. Although much information can be obtained (Ole Vestrum's CASA project). from laboratory tests, relying on such an approach would be selected validation tests, can significantly lower the cost protection.

The main objective of this research programme will be to develop advanced computational tools and establish validated

- measures have failed. It is thus of utmost importance that such empty and sand-filled aluminium panels and Fracture and structures are designed and validated on a sound theoretical fragmentation of AA6070 aluminium plates during impact loading (Jens Kristian Holmen's PhD project).

too costly and inefficient. Computer-aided design, together The two first PhD projects are activities from SFI-SIMLab, with a strategy for material selection, optimization and well- which are directly pursued in SFI-CASA. Karoline Osnes' PhD project was started in August 2015, while Ole Vestrum started and enhance the overall quality and efficiency of the required his PhD project on Optimization of protective structures in January 2016. Examples from the PhD projects of Jens Kristian Holmen and Karoline Osnes are shown in Figure 8 and Figure 9.




Figure 8: Images from simulations of a 20 mm thick plate in aluminium alloy AA6070 with (a) element erosion and (b) node splitting in the IMPETUS Afea Solver.





Figure 9: Images from blast-load experiments in SIMLab's shock-tube facility on a double-laminated window glass showing initial (left) and final (right) cracking.

Methods and Tools

echnology

Heads of Programme: Odd-Geir Lademo and Térence Coudert



The Methods & Tools Programme is to provide a synthesis of the research carried out to facilitate industrial implementation, see Figure 10. In other words, it represents the main instrument to link the Basic research in the Centre and the Industrial implementation at the industrial partners. The work will build upon prior research carried out by NTNU and SINTEF, in particular the research platform generated over the last eight years in the SFI SIMLab, and the associated SIMLab Toolbox. The SIMLab Toolbox will be further developed by enhancing the prediction accuracy, efficiency and robustness of existing models and methods and include novel models and methods based on the basic research programmes. It is planned that the SIMLab Toolbox will support the necessary steps to build a reliable finite element model for advanced structural analysis, including:

- a database solution to store and get access to experimental data and protocols;
- field measurement software to extract accurate data from tests;
- a multi-scale calibration tool to identify the parameters of the proposed models;
- a model library with constitutive models for the different materials used by the partners;
- a set of multi-scale solvers used to develop and improve existing models.

The development work is performed in a professional software development arena 'code.sintef.no', which enables team-oriented development through proper systems for documentation, version control and issue tracking. Through this portal personnel from all Centre partners may also be granted access in order to codevelop and tailor tools. In 2015, some preparatory measures have been taken to ensure maximum efficiency, robustness, and quality assurance of the further team-based development, primarily through definition of each existing tool through scenario-based design technique, and by the establishment and initial implementation of a system for automated testing of tools. A draft of a possible architecture for an overarching multi-scale framework has been crafted, that will be subject to revisions based on discussions with user partners in 2016.

Industrial Implementation Head of Programme: Magnus Langseth




Figure 11 illustrates the important interlink between Basic research, Technology transfer and Industry. Here the Industrial implementation programme will be the link between the Methods & Tools programme and the industrial use of the research and technology developed at the Centre for Innovation. To strengthen the industrial implementation of the research and the cooperation between the partners, an Industrial Reference Group with experts from the partners, supported by professors/scientists from NTNU and SINTEF, has been established. This group will monitor all new developments and assist in the implementation of these at the user partners. The reference group will also at any time evaluate the needs each partner has for support from NTNU and SINTEF in the implementation. The exchange of personnel between the research group and the user partners, industrial PhD candidates and employment of graduate students at the partners will be other means to strengthen the industrial implementation. Establishing concurrent research and development projects with the partners represents an opportunity for technology transfer and enhanced innovation at the user partners. In order to strengthen the share of information across business sectors and between the partners during the industrial implementation, case studies and demonstrators will be used and presented at seminars. Here the user partners representing each of the business sectors oil and gas, physical security and transportation will present typical engineering problems and best practice for modelling. This will contribute to a better understanding of the challenges of the user partners and how advanced structural analysis may be used to meet them.

SFI CASA has access to test facilities in several laboratories at NTNU and SINTEF. Below is a list of the most important testing equipment. Please go to our website to read more about the Centre's laboratories: www.ntnu.edu/casa

Gas Gun (1)

This is a compressed gas gun for ballistic impact studies. A variety of projectile geometries can be fired, with a maximum velocity of 1000 m/s.

Hydro-pneumatic machine (HPM) (2)

The hydro-pneumatic machine (HPM) is a device for tensile material testing. It operates in the strain-rate range between 1 and 100 s^{-1.}

Pendulum impactor (Kicking Machine) (3)

The pendulum accelerator is a device for impact testing of components and structures. The test rig accelerates a trolley on rails towards a test specimen fixed to a reaction wall. The accelerating system consists of an arm that is connected to pipelines subjected to impact and subsequent stretching. a hydraulic/pneumatic actuator system. The maximum energy delivered to the trolley is approximately 500 kJ. At present the mass of the trolley is in the range between 800 -1500 kg, giving a maximum velocity between 35 m/s and 26 m/s.

Self-piercing riveting machine (4)

In this machine self-piercing riveting can be carried out of sheets under industrial conditions.

Sheet metal forming machine (BUP) (5)

This multi-purpose hydraulic sheet metal forming machine is The split-Hopkinson pressure bar consists of a high-pressure has a 600 kN load capacity, a maximum clamping force of 50 of the input bar. kN. a maximum test stroke of 120 mm and a maximum test speed of 750 mm/min.

Split-Hopkinson tension bar (SHTB) (6)

The split-Hopkinson tension bar is a device for material testing at strain rates in the range between 100 and 1500 s⁻¹. Data is recorded with strain gauges and high speed cameras. An induction heater facilitates tests at elevated temperatures.

Stretch bending rig (7)

The stretch-bending rig applies a combined bending and axial tensile/compressive loading to the test component. The length of the specimens is 1-2 m, and they are bent around an exchangeable die with a defined curvature. The rig has been employed in tests where the bending operation of car bumpers is studied. It has also been used to study the behaviour of

Droptower impact system (8)

In this machine impact testing of materials and small components can be carried out at low and high temperatures. The mass of the projectile ranges from 2-70 kg and gives an impact velocity in the range 0.8-24 m/s. All tests can be carried out with an instrumented nose which gives the impact force as a function of time.

Split-Hopkinson pressure bar (9)

designed to test the formability of sheet metals. The machine chamber unit that can accelerate a projectile against the end



Transmission Electron Microscopy (12)

The SIMLab Shock Tube Facility consists of a long tube and a SFI CASA cooperates with the TEM Gemini Centre at NTNU, providing SFI CASA access to 5 TEMs: a JEOL double corrected ColdFEG ARM200F (2013), a JEOL 2100F (2013), a JEOL 2100 a circular internal cross-section with a diameter of 0.34 m (2013), a Philips CM30 (1989) and a JEOL 2010 (1993). The TEM Gemini Centre also has a well equipped sample preparation lab 0.3 m. Threaded holes in the tube floor enable mounting of test and computing facilities.

SELCASA has a FLIR SC7500 infrared camera that can convert

thermo mechanical experiments
During impact testing of materials and structures, the events are recorded using high-speed cameras with a maximum frame rate of 1 000 000 FPS. The research group has access to 2 Photron and 2 Phantom cameras.

Zeiss SUPRA 55VP (LVFESEM, 2006), Hitachi S-4300SE

(FESEM, 2002), Zeiss, Ultra 55LE, FESEM (2007), Jeol

840 (1989). 3 SEMs are equipped with EDS and

stage systems for EBSD tensile and

to -60 °C).

(heating, and cooling down

The picture above shows a test where the Phantom V1610 high-speed camera has been used.

A 7 mm laminated safety glass is hit by a 7.62 calibre lead bullet at a speed of 800 m/s. The camera is set

to a frame rate of 60 000 FPS and exposure time 0.452 µs.

infrared radiation to a visual image that depicts thermal variations across an object or scene. Thus it can be used to measure the surface temperature of a specimen under inelastic deformations. With a resolution of 320x256 pixels the maximum frame rate is 380 per second, while at a resolution of 48x4 pixels the maximum frame rate is 31 800 per second EBSD. The laboratory have in-situ sub- (FPS).

Media strategy

CASA aims at a media strategy for popular science presentations of the research activities in magazines, newspapers, on television, radio and the web. It is also an aim to make female researchers particularly visible in order to recruit women fellowship holders and contribute to a more even gender balance in this research field.

The popularized part of this report is an example of how these strategies are carried out. The articles have also been published in our monthly newsletter (see below) and on the blog www.ntnutechzone.no.

SFI CASA newsletter

C Citizana

As part of the media strategy SFI CASA released a newsletter in September 2015. The newsletter is sent out to partners, contacts and other people in SFI CASA's social and professional network and to professionally interested parts of the media. The newsletter presents both research news and in-depth interviews with key personnel working with SFI CASA. The Centre Director Magnus Langseth gave a presentation of SFI newsletter is published here: http://sfi-casa.no/ and anyone can subscribe to the monthly newsletter sent out by email.

Technology evaluation In 2014, the Research Council of

Norway initiated an evaluation of Norwegian research in the field of technology. In the spring of 2015 the international evaluation committee published their report Basic and long-term research within Engineering Science in Norway. Three main areas of performance were emphasized in the evaluation; Scientific quality and productivity; Relevance and impact; Strategy, organization and research cooperation. The SIMLab research group hosting SFI CASA received top score in the evaluation and was described as world leading in its field of research.

Invited and guest lectures

Professor Arild Holm Clausen presented the invited lecture *How* does SFF, SFI and SFU contribute towards improving education? Experience from SFI – SIMLab at NTNU at the NOKUT conference on higher education, 19-20 May 2015, Bergen, Norway.

CASA at the official kick-off for the 9 new SFI centres hosted by NTNU and SINTEF on 18 September 2015.







Basic and long-term research within Engineering Science in Norway Report from Panel S. Chill Engineering and Marine Structures

loads and load effects on submerged floating tunnels at Teknologidagene, a conference organized by the Norwegian

Keynote lectures

Professor Magnus Langseth gave a keynote lecture with the title Structures subjected to extreme loading conditions. Do we need new knowledge? at the Design and Analysis of Protective Structures (DAPS2015) conference that took place in Singapore on 19-21 May 2015.

Professor Tore Børvik gave a keynote lecture with the title Structural impact at the 8th national conference on computational mechanics (MekIT'15), Trondheim, 18-19 May 2015.





Creating the perfect collision

To you and me, this might look like a disaster. But Norwegian ski star Petter Northug's car crash was actually pretty ideal. The materials in the car and guard rail acted just the way they were designed to in order to save the lives of passengers in the car.

CASA in the media

was published on 4 May 2015. This article on forskning.no and gemini.no was used as background for an article in the Norwegian online newspaper Din Side published on 22 August 2015.

Centre director Magnus Langseth was interviewed by the online science magazines Gemini and Forskning.no. The article local newspaper Trønder-Avisa published on 7 October 2015. Magnus Langseth was also interviewed for an article in the

EVALUERING AV TEKNOLOGIFAGFORSKINGA I NOREG:

Rom for forbetring for teknologifaga

På oppdrag frå Forskingsrådet har tre internasjonale panel evaluert forskinga innanfor teknologifaga i Noreg. Forskinga på feltet viser seg å vere jamnt bra og samfunnsrelevansen høg, men det er få miljø som har kvalitet i verdstoppen. Panela oppfordrar til meir grunnforsking, meir kommersialisering og auka internasionalt samabeid.





Internasjonalt panel: Norge har kun to teknologimiljøer i verdenstoppen

Olje er ikke ett av dem.

Teknologifagene er evaluert:

Fra under middels til briljant

Et par NTNU-miljo briljerer i verdenstoppen, mens andre stemples som under middels. Norsk teknologiforskning får passet påskrevet i fersk evaluering.



Strategi pluss hardt arbeid. SIMLab troner i den internasjonale verdenstoppen

The Technology Evaluation, where the principal research group in SFI CASA, SIMLab, was assessed as world leading, also received media coverage. The weekly technical journal Teknisk Ukeblad and the University newspaper Universitetsavisa published articles about the evaluation on 7 and 8 May 2015.



Forskere i Trondheim og Oslo får tilgang til en verden som ville vært umulig å se uten fem nye mikroskop

Supermikroskop skal få flere i arbeid

NTNU has invested in three new Transmission Electron Microscopes (TEM) in the recent years. The new TEMs at NTNU are part of a newly established research infrastructure named NORTEM (Norwegian Transmission Electron Microscopy) where Professor Randi Holmestad at NTNU and CASA is a key researcher. The establishment of NORTEM was covered by the weekly technical journal Teknisk Ukeblad and the local newspaper Adresseavisen and on 11 and 12 September 2015.



spesielle mikroskoper

Guest lectures at SFI CASA

- Professor Em. David Embury from McMaster University in Hamilton, Canada, stayed at SFI CASA 9-13 November 2015. He gave two guest lectures at SFI CASA on 11 November 2015. The lecture titles were *Do we need homogeneous or heterogeneous* microstructures? and Controlling the competition between plasticity and fracture.
- DYNA for vehicle crash analysis, 2) Information on implicit personnel from the Centre. capabilities for struct. analysis in LS-DYNA and example(s) on how to convert an explicit analysis to an implicit analysis, and

 • Alumast (2015-2017): NTNU is one of several partners in a 3) LS-OPT material parameter identification - introduction and

Research visits abroad by CASA staff

- PhD candidate Lars Edvard Dæhli staved at the Royal October - 28 November 2015.
- Professor Odd Sture Hopperstad visited LMT-Cachan, France, 19-26 April 2015.

Former SFI SIMLab PhD and now SINTEF researcher involved in Young Writers Prize 2015 for her paper A study on the influence Engineering. of precipitate free zones on the strain localization and failure of the aluminium alloy AA7075-651. The article is co-authored by • Ferry-free coastal route E39 (2015-2017): The Norwegian Calin D. Marioara (SINTEF), Tore Børvik (NTNU), Ahmed Benallal Public Roads Administration heads an investigation of the (LMT-Cachan) and Odd Sture Hopperstad (NTNU), Peter S. Riseborough, Professor of Physics at Temple University, coastline of Norway. The project funds a postdoctoral research Philadelphia, USA and editor of Philosophical Magazine, gave fellow who is working with submerged floating tunnels the prize to Marion Fourmeau at the annual APS (American subjected to internal blast loading. Physical Society) March meeting held in Baltimore.

Concurrent projects

- Fundamental studies of materials' behaviour in future cold climate applications (SMACC) (2013-2018): NTNU and SINTEF are involved in this joint industry project. SINTEF is the project host. SIMLab is involved in the project with a PhD candidate working on behaviour and modelling of thermoplastics at low temperatures.
- Representatives from Dynamore Nordic, a vendor of the
 Joint research project with Honda R&D Americas (2013software LS-DYNA gave three guest lectures for SFI CASA 2017): The objective of the project is to model the behaviour personnel on 14 and 15 December 2015. The title of the lectures and failure of flow drilling screws submitted to crash loadings. were 1) Recommended control card and other settings in LS- One PhD candidate works on the project supervised by
 - consortium working on aluminium power pylons. A post doc at SIMLab works on the project.
- Closing the gaps in multiscale materials modelling of precipitation free zones in aluminium (2014-2017); NTNU and Institute of Technology (KTH) in Stockholm, Sweden, 11 SINTEF are involved in this project on modelling of aluminium. A post doc at SIMLab works on the project.
- Behaviour and modelling of elastomers subjected to a wide range of pressures and temperatures (2013-2016): Aker Solutions is funding this project under the industrial PhD scheme supported by the Research Council of Norway. One PhD candidate is working on this project supervised by personnel SFI CASA Marion Fourmeau received the James Clerk Maxwell from Aker Solutions and NTNU's Department of Structural
 - possibilities for a ferry-free coastal route along the western

From left:

Vestrum.





From left: Vegard Aune, Joakim Johnsen, Arne Ilseng, John Fredrick Berntsen, Lars Edvard Dæhli, Marius Andersen, Emil Christiansen, Christian Oen Paulsen, Martin Kristoffersen,

Sindre Olufsen, Jens Kristian Holmen, Karoline Osnes, Erik Løhre Grimsmo, Mikhail Khadyko, Ole Vestrum, Petter Henrik Holmstrøm, David Morin and Bjørn Håkon Frodal.

PhD candidates and post docs

PhD candidates with funding from SFI CASA

Name	Start	Planned exam	Programme	Nationality	Gender N	
John Fredrick Berntsen	2015	2019	Structural Joints	Norwegian	М	
Emil Christiansen	2015	2019	Lower Scale	Norwegian	М	
Bjørn Håkon Frodal	2015	2019	Metallic Materials	Norwegian	М	
Sindre Olufsen	2015	2019	Polymeric Materials	Norwegian	М	
Karoline Osnes	2015	2019	Protective Structures	Norwegian	F	

PhD candidates and post docs with funding form other sources. The topics are highly relevant for SFI CASA

Name	Start	Planned exam	Programme	Nationality	Ger
Arne Ilseng	2013	2016	Polymeric Materials	Norwegian	М
Joakim Johnsen	2014	2017	Polymeric Materials	Norwegian	М
Mikhail Khadyko*	2015	2017	Metallic Materials	Russian	М
Martin Kristoffersen*	2015	2017	Protective Structures	Norwegian	М
Christian Oen Paulsen	2015	2019	Lower Scale	Norwegian	М
Johan Kolstø Sønstabø	2013	2017	Structural Joints	Norwegian	М
*Post doc				Ü	

PhD candidates with funding from SFI SIMLab. The topics are highly relevant for SFI CASA

Name	Start	Planned exam	Programme	Nationality	0
Marius Andersen	2011	2016	Polymeric Materials	Norwegian	N
Vegard Aune	2012	2016	Protective Structures	Norwegian	N
Lars Edvard Dæhli	2013	2017	Metallic Materials	Norwegian	N
Erik Løhre Grimsmo	2013	2017	Structural Joints	Norwegian	N
Jens Kristian Holmen	2013	2016	Protective Structures	Norwegian	N
Petter Henrik Holmstrøm	2013	2017	Polymeric Materials	Norwegian	N

Recruitment

In order to recruit top Master's student and PhD candidates, visibility is important. Top quality research makes the Centre visible in the academic world but not necessarily among students. Six PhD students started in August 2015. Many of them were recruited as a result of a recruitment campaign in the spring of 2015. One of SFI CASA's goals is to train 20 PhDs over eight years. The Centre organized a seminar for Master's students at NTNU on 9 November 2015 in order to attract students for Master's studies at SFI CASA. Two other goals for SFI CASA is to attract Norwegian PhD candidates and to improve the gender balance in this field of research as traditionally there is a vast majority of male students and researchers. Further recruitment measures are needed, and will be initiated in the years to come.



The following lists journal publications and conference contributions generated in 2015.

Journal publications

- 1. V. Aune. T. Børvik. M. Langseth. Behaviour of plated structures subjected to blast loading. Proceedings of the Journal of Impact Engineering 78 (2015) 161-177. XI International Congress on the Mechanical and Physical Behaviour of Materials under Dynamic Loading (DYMAT), 9. M. Khadyko, S. Dumoulin, T. Børvik, O.S. Hopperstad. parameter identification. International Journal of Plasticity 66 European Physical Journal - Web of Conference 94, 01015 Simulation of large-strain behaviour of aluminium alloy under [2015] 3-30.
- 2. T. Børvik, S. Dey, L. Olovsson Penetration of granular materials by small-arms bullets. International Journal of 10. T. Mánik, B. Holmedal, O.S. Hopperstad. Strain-path national conference on computational mechanics (MeklT'15), Impact Engineering 75 (2015) 123-139.
- 3. M. Fourmeau, C.D. Marioara, T. Børvik, A. Benallal, O.S. (2015) 1-20. Hopperstad. A study of the influence of precipitate free zones AA7075-T651. Philosophical Magazine (2015).
- 4. H. Fransplass, M. Langseth, O.S. Hopperstad, Experimental 70 (2015) 31–44. and numerical study of threaded steel fasteners under combined tension and shear at elevated loading rates. 125
- 5. E.L. Grimsmo, A.H. Clausen, M. Langseth, A. Aalberg. An experimental study of static and dynamic behaviour of bolted 13. M. Storheim, H.S. Alsos, O.S. Hopperstad, J. Amdahl. submerged floating tunnels. Teknologidagene, a conference end-plate joints of steel. International Journal of Impact A damage-based failure model for coarsely meshed shell organized by the Norwegian Public Roads Administration, 23 Engineering, 85 (2015) 132–145.
- 6. N.-H. Hoang, O.S. Hopperstad, O.R. Myhr, M. Langseth, C. profiles. Thin-Walled Structures 92 (2015) 93-103.

- International Journal of Impact Engineering 84 (2015) 96-107. Journal of Impact Engineering 86 (2015) 223-239.
- 8. J.K. Holmen, O.S. Hopperstad, T. Børvik, Low-velocity 16. K. Zhang, B. Holmedal, O.S. Hopperstad, S. Dumoulin, J. impact on multi-lavered dual-phase steel plates. International Gawad, A. Van Bael, P. Van Houtte, Multi-level modelling of
- tensile loading using anisotropic plasticity models. Computers & Structures, 157 (2015) 60-75.
- change induced transients in flow stress, work hardening and Trondheim, 18-19 May 2015. r-values in aluminum. International Journal of Plasticity 69
- Hopperstad. Influence of microstructure on work-hardening 19-21 May 2015. and ductile fracture of aluminium alloys. Materials and Design
- 12. A. Saai, I. Westermann, S. Dumoulin, O.S. Hopperstad, of aluminium alloy AA7108. International Journal of Material Bergen, Norway. Forming (2015).
- structures. International Journal of Impact Engineering 83 September 2015. (2015)59-75
- Marioara. An improved nano-scale material model applied in 14. J.K. Sønstabø, P.H. Holmstrøm, D. Morin, M. Langseth. axial-crushing analyses of square hollow section aluminium Macroscopic strength and failure properties of flow-drill screw connections. Journal of Materials Processing Technology 222 (2015) 1-12.

- 7. J.K. Holmen. T. Børvik. O.R. Myhr. H.G. Fiær. O.S. 15. V. Vilamosa. A.H. Clausen. T. Børvik. S. R. Skiervold. O.S. Hopperstad. Perforation of welded aluminum components: Hopperstad. Behaviour of Al-Ma-Si aluminium allovs under microstructurebased modelling and experimental validation. a wide range of temperatures and strain rates. International
 - mechanical anisotropy of commercial pure aluminium plate: Crystal plasticity models, advanced vield functions and

Kevnote lectures

- 1. T. Børvik. Structural impact. Proceedings of the 8th
- 2. M. Langseth. Structures subjected to extreme loading conditions. Do we need new knowledge? Design and Analysis on the strain localization and failure of the aluminium alloy 11, K.O. Pedersen, I. Westermann, T. Furu, T. Børvik, O.S. of Protective Structures (DAPS2015) conference, Singapore,

Invited and quest lectures

- 1. A.H. Clausen. Hvordan bidrar SFF, SFI og SFU til å gjøre utdanningen bedre? Erfaringer fra SFI – SIMLab ved NTNU. International Journal of Impact Engineering 76 (2015) 118- Crystal plasticity finite element simulations of pure bending NOKUT-konferansen om høyere utdanning, 19-20 May 2015,
 - 2. M. Kristoffersen, Explosion loads and load effects on

Conference contributions

- 1. M. Andersen, A.H. Clausen, O.S. Hopperstad, Large 7. P.H. Holmstrøm, A.H. Clausen, D. Morin, O.S. Hopperstad Yield and Fracture of Polymers. Kerkrade, the Netherlands. 29 March – 2 April. 2015.
- 2. V. Aune, T. Børvik, M. Langseth, On the fluid-structure 8. A. Ilseng, B.H. Skallerud, A.H. Clausen, Experimental interaction effects of plated structures subjected to blast loading – an experimental and numerical investigation. mechanics (MeklT'15). Trondheim. Norway. 18-19 May 2015. 29 March – 2 April. 2015.
- 3. V. Aune, T. Børvik, M. Langseth M. Behaviour of plated 9. A. Ilseng, B.H. Skallerud, A.H. Clausen. Case study of structures subjected to blast loading. Proceedings of 11th International DYMAT Conference, Lugano, Switzerland, 7-11 September, 2015.
- 4. M.J. Forrestal, T.L. Warren, T. Børvik, W. Chen, 10. A. Ilseng, B.H. Skallerud, A.H. Clausen, Volumetric et al. (eds.), Dynamic Behavior of Materials, Volume 1: 1-4 September, 2015. Proceedings of the 2014 Annual Conference on Experimental and Applied Mechanics, Conference Proceedings of the 11, M. Kristoffersen, T. Børvik, M. Langseth, O.S. Society for Experimental Mechanics Series. Volume 65. Hopperstad. X65 steel pipes subjected to combined Issue Volume 1 389-402 2015
- 5. E.L. Grimsmo, A.H. Clausen, A. Aalberg, M. Langseth. Beam-to-column joints subjected to impact loading. Nordic Steel Construction Conference, 23-25 September 2015, 12. J.K. Sønstabø, D. Morin, M. Langseth. Macroscopic Tampere, Finland,
- 6. J.K. Holmen, T. Børvik, O.R. Myhr, O.S. Hopperstad. Perforation of welded aluminum extrusions: Numerical 13. V. Vilamosa, T. Børvik, O.S. Hopperstad, A.H. Clausen. prediction and experimental validation. 11th International Conference on the Mechanical and Physical Behaviour of Materials under Dynamic Loading, 7-11 September 2015, Lugano, Switzerland.

- strain measurements of HDPE subjected to unjaxial tension
 Experimental and numerical investigation of tensile properties using DIC. 16th International Conference on Deformation, of glass fibre-reinforced polypropylene. 16th International Conference on Deformation, Yield and Fracture of Polymers, Kerkrade, the Netherlands, March 29 - April 2, 2015.
- study of the compressibility of an HNBR and an FKM elastomer. 16th International Conference on Deformation, Proceedings of the 8th national conference on computational Yield and Fracture of Polymers, Kerkrade, the Netherlands,
 - elastomer seals using FEM. Proceedings of the 8th national conference on computational mechanics (MekIT'15), Trondheim, 18-19 May, 2015.
- Perforation of 6082-7651 Aluminum Plates with 7.62 mm compression of HNBR and FKM elastomers. Proceedings of APM2 Bullets at Normal and Oblique Impacts. In: B. Song Constitutive Models for Rubber IX, Prague, Czech Republic,
 - stretching and bending. Proceedings of Marine 2015 VI International Conference on Computational Methods in Marine Engineering, Rome, Italy, 15-17 June 2015.
 - Modeling of Flow-Drill Screw Connections. 10th European LS-Dyna Conference, 15-17 June 2015 Würzburg, Germany.
 - Behaviour and modelling of aluminium alloys subjected to a wide range of strain rates and temperatures. Proceedings of 11th International DYMAT Conference, Lugano, Switzerland, 7-11 September, 2015.

Annual accounts

The tables give an overview of the distribution of funding and costs in the Centre for 2015. The funding plan shows where the funding comes from. The cost plan shows where the research work has been carried out.

SFI CASA funding 2015 (All figures in 1000 NOK)								
Host Research partner Public Industrial RCN Grant Total funding partners partners								
Research programmes	3 355	550	1 294	4 616	1 503	11 318		
Equipment						0		
Administration	500		781	1 184	137	2 602		
Total budget	3 855	550	2 075	5 800	1 640	13 920		

SFI CASA cost 2015 (All figures in 1000 NOK)						
Item	Host NTNU	Research partner SINTEF	Public partners	Industrial partners	Total cost	
Research programmes	6 417	3 001	350	1 550	11 318	
Equipment					0	
Administration	2 453	149			2 602	
Total budget	8 870	3 150	350	1 550	13 920	

185V 1900

Annual Report 2015
Centre for Advanced Structural Analysis









What is an SFI. what is SIMLab. what is CASA...

SFI IS A FUNDING SCHEME

SFI, Centre for Research-based Innovation, is a funding scheme kicking. administered by the Research Council of Norway (RCN).

business to innovate by focusing on long-term research. The in the design of crashworthy and protective structures. idea is to forge close alliances between research-intensive enterprises and prominent research groups.

college, a research institute or an enterprise with a strong research activity.

research institutions) must contribute to the centre in the form of funding, facilities, competence and their own efforts In doing so, CASA will both go further down in scale to throughout the life cycle of the centre.

The life cycle is eight years. Each centre receives roughly 12 New materials such as glass are included. MNOK per year from RCN. The host institution and partners must contribute with at least the same amount

SIMLAB IS A RESEARCH GROUP

Structural Impact Laboratory, SIMLab, is a research group at the Department of Structural Engineering, NTNU. From 2007 to 2014. SIMLab hosted an SFI with the same name. SFI SIMLab. This double use of the name sometimes causes confusion, but now you know:

SFI SIMLab is history; the SIMLab research group is alive and

All the more comforting, since the group carries with it all the The main objective for the SFIs is to increase the capability of expertise that brought SFI SIMLab to a world-leading position

CASA IS AN SFI

Centre was officially established

on 1 July 2015.

The host institution for an SFI can be a university, a university CASA, Centre for Advanced Structural Analysis, is the name of the new SFI hosted by the SIMLab research group. The vision of SFI CASA is to establish a world-leading centre The partners (enterprises, public organisations and other for multi-scale testing, modelling and simulation of materials and structures for industrial applications. nano level and wider in scope than SFI SIMLab did. The annual report you are reading right now, is the first from SFI CASA. The





This is the popularized part of the annual report. This is a glimpse of what CASA is all about for those of us who don't deal with precipitate free zones or constitutive models on a daily basis.

The aim is the same as the rest of this report: to explain what goes on in CASA and why it is important to society. The articles here come in two categories; stories and profiles

THE GLASS MANAGER

PhD candidate Karoline Osnes.

inside the NOK 6 million shock tube.

test specimen in hand,

All photos this section:

Ole Morten Melgård.

NTNU Grafisk Senter

PhD Candidate Karoline Osnes is the complete opposite of Laura Wingfield in "The Glass Menagerie". Wingfield polishes her little glass objects. Osnes subjects hers to destructive blasts. The next profile is also new to CASA. Professor Randi

Holmestad's physicist expertise is needed to understand on atomic level how aluminium behaves under attack.

The lucky guy appearing on the pages between these two with one of our partner's. John Fredrick has well deserved his position. After all, he sits on CASA's Scientific Advisory Board. David Embury has news about hybrid and architectured materials.

tools help industry transform scientific findings into safer, less costly and more eco-friendly products and processes.

THE PERFECT MATCH

Alexandra Bech Gjørv became a household name when she headed the fact-finding commission after the 2011 terrorist attack in Norway. Now she is SINTEF's new CEO. Her thorough CASA's expertise simply cannot be bought elsewhere. insight in aluminium, automotive industry and anti-terror makes Finally there's a story you shouldn't read. So stay away, please.




Government and Modernisation decided to join CASA. Deputy

director general Christian Fredrik Horst shares the insight that

Contents

What is an SFI, what is SIMLAb, what is CASA	2
and what is this?	
Contents	
The Glass Manager	<i>L</i>
How to Replace Stainless Steel with a Hybrid	<i>t</i>
New Girl on the Block	
Partner Tools save Millions	10
A Perfect Match	12
John, Yann, Avensis and Polymers	14
Hunter Inside	16
Solid may be Dangerous	18
Don't read this	21



The GLASS Manager

Judging by industry and public interest in her subject, Karoline Osnes has brilliant prospects. In a few years she will know more about the behaviour of glass in explosions than most people on the planet.

PhD candidate Karoline Osnes is quite the opposite of interesting for the Ministry of Local Government and end, she decided that an engineering career might be a safer but there was something in their message that triggered me. arranging her collection of little glass animals. Karoline Osnes in Oslo. takes professional pleasure in breaking glass. Not only that; she studies the process in great detail. The aim of her PhD is **CAR MAKERS EAGER TO KNOW** to describe the characteristics of glass and laminated glass as "Due to micro cracks, glass will behave differently in each precisely as possible.

There is another contrast as well: Laura Wingfield is shy and this behaviour in the numerical models I plan to develop and isolates herself in her room. Karoline Osnes is a lively and validate. I want to describe the fragmentation and, in the case audible from far away.

Osnes is very much aware that her PhD work is being followed with considerable interest. When SFI SIMLab decided to direct will be more PhD work on glass in the eight years ahead. their attention towards anti-terror just months prior to the attack on 22 July 2011, they showed almost spooky foresight. AN ARTIST LOST play a central part in her experimental work.

Laura Wingfield in "The Glass Menagerie". The character in Modernisation; one of CASA's new partners. They are Tennessee Williams' classic play spends time polishing and responsible for building the new government administration

blast although the impact is the same. I will try to capture

through: several of CASA's partners in the automotive industry of the options under consideration. quickly signalled their interest. It is no wild guess that there

Since then, the labs at NTNU have been even better equipped Osnes' way into breaking glass was not a given. Growing up for what Osnes is concentrating on. The new shock tube will in a town southwest of Trondheim she can only remember one related incident: she accidentally broke a mirror.

While glass wasn't a research topic for CASA's predecessor As a youngster, she enjoyed painting and drawing and wanted SIMLab, the inclusion of the new material is particularly to be an artist. However, she was also good at maths. In the me to consider going for a PhD. We didn't talk for very long,

accident: a friend had heard about it and she decided to go for it when she got a chance to do a student project there.

She went on to write her master's thesis in the same place, alternative," she says. studying what happens to a floating tunnel exposed to an internal explosion. The subject has great interest in Norway, PART OF THE BUNCH since Parliament has decided to build a ferry-free highway along the west coast from Kristiansand in the far south including participant in any social setting. Her laughter is of laminated glass, the interaction with polymers," Osnes to Trondheim in Mid-Norway. This implies crossing the "No. There have been times when I have asked myself if I made Sognefjord, which is too deep for a conventional tunnel and 3.7 the right choice, but I'm confident that I would have regretted At the same time, the generic nature of research comes kilometres wide at the crossing point. A floating tunnel is one

DROPPED CONSULTANCY

After finishing her masters' degree, Karoline Osnes landed a job with a well-known Norwegian engineering consultancy. Then, before she had even started, she received an email.

"Professor Tore Børvik invited me to a meeting in his office. Flattered by the invitation, I accepted. When I got there, CASA Director Magnus Langseth was present as well. They wanted Are you listening, Laura Wingfield? And bring your unicorn.

Something along the line of "This is a kind of chance you Her joining up with NTNU's SIMLab happened rather by only get once", and "Nobody who takes a PhD ever regrets". It made me think "This is a bigger challenge than I'll get at the consultancy". So here I am, without having tried the

"And now, three months into your PhD work, have you had

it if I hadn't ioined."

"At the moment, you are the only female PhD candidate at SIMLab. Does that bother you?"

"Not at all. I feel as much part of the bunch as everyone else. It wasn't a surprise to me now, but when I started on my master's thesis I was struck by the good atmosphere. SIMLab has a well-earned fame for that, in addition to the high qualifications. People are very open, I always feel I can ask and people always take time to answer. It's a great place to be!"

How to replace

Stainless Steel with a Hybrid

Stainless steel is expensive. What if you could get the same user qualities more cheaply by combining a stainless surface with a conventional steel substrate using a surface modification technique? David Embury shares a peek into a new world of hybrid and architectured materials.

people and products. To do so cost effectively, they push plasticity and fracture". conventional materials to the limit. Conflicting properties are required, e.g. high strength and high ductility which are **RELEVANT TO INDUSTRY** difficult to achieve in a single material. Can we take a different approach? Can we combine materials in new geometries and devise new processes to make these architectured materials?

TAILORING MATERIALS AND PROCESSES

The idea is to combine laminated metals, foams and polymers, deep waters of the North Sea. to modify existing casting and heat treatment processes to Embury exemplifies:

deal of money compared to a stainless steel structure.

that can transport energy. The automotive industry transports microstructures?" and "Controlling the competition between

He is a professor emeritus from McMaster University in Canada, but far from curling up on a sofa he still collaborates with researchers around the world. During his stay in Trondheim he talked to people from Hydro, a CASA partner, about the design of aluminium cables for transporting electricity across the

produce both hybrid materials and hybrid processes. David for industry. There is great interest in lightweight structural same point. Since then, other CASA partners have expressed applications for different demands, including energy transport — the same interest "If you take, say five millimetres of conventional steel and coat" and energy absorption, using architectural materials. Take it with 100 microns of high chromium steel on the surface to titanium alloys. If we could make them transform like steels **INTELLIGENT MATERIALS** produce an adherent protective oxide, you could save a great to achieve very high strengths, they would be applicable for a CASA's SAB hasn't had its first meeting yet, but David Embury

At 76, Embury is not only an Honorary Doctor at NTNU; he The concept of hybrids is known. What we are looking at now, future activities:

INFLUENCES CASA

inclusive than SFI SIMLab was:

"The Centre is still in the process of evolving, but the new research field of ultra-high strain testing and the broadening of perspective with glass is likely to increase the social impact. One example is that work on glass in buildings also will be interesting for glass in cars and other forms of transport." Without knowing, Embury confirms the interest Honda's Eric products can be applied. "The concept of architectured materials has a lot of relevance DeHoff showed at CASA's kick-off, where he made exactly the

served on SIMLab's SAB as well. He would like to contribute to

has just been recruited as member of SFI CASA's Scientific are new combinations of materials and new ways of fabricating "CASA can clearly utilize the experience of SIMLab in as they are in many North American universities." Advisory Board, (SAB). Last November he gave two lectures complex geometries that is new ways of combining existing encouraging the inclusion of more partners. CASA should also

In the real world, companies like Statoil demand materials in Trondheim: "Do we need homogeneous or heterogeneous knowledge to design new engineering solutions," Embury says. build on SIMLab's strength in the interface between mechanics and materials. Then all kinds of things might emerge, such as a variety of intelligent materials. The social relevance of David Embury expects SFI CASA to become more flexible and the products will increase with the combination of glass and

"So who would you welcome as new partners?"

"I would be happy to see a big glass producer on board. A broadening of large producers would be valuable for all," he says. He thinks CASA's portfolio may change more rapidly than SIMLab's did, with a broader range of applications where

AVOID OVERLOAD

The scientific advisor has one more piece of advice:

"CASA is going to need good postdoctoral staff and visiting faculty. You have very good students, but will need to increase the manpower in the system with people from all over the world. I am concerned that you do not increase the load on faculty. They should remain truly productive and not overloaded







The folks at SIMLab know better than anyone how aluminium grains behave under attack. Because of that, they decided that the follow-up - CASA - needs expertise on atomic level. Randi Holmestad's expertise.

Aluminium grains are tiny. There are as many in one cubic RANDI RUNS millimetre as there are sand grains on a beach. In working Randi Holmestad runs. Literally. If colleagues observe her of many contributors and is the proud holder of a patent on an reduce the alloying content of extruded and rolled aluminium with these aluminium grains, SIMLab realized that they walking in the corridor, they will pop out of their office and ask aluminium alloy. needed to learn more about the details inside the grains. if something is wrong. There were indications that lower scale matters. The logical Running can bring you pretty far. In 1998, at 30, Randi became cooperation has huge, mutual benefits," she says. consequence is that studies down to atomic level are needed the youngest female professor in the university. A few years to establish material properties with greater certainty. later, her supervisor fell ill and she had to step up as group Studying details in the microstructure - such as particles, leader. Since then she has guided 52 master's students and exchange: precipitates, dislocations and grain boundaries - gives a 13 PhD candidates through thick and thin. Two years ago better understanding. This in turn will help with experiments, her department acquired the world class microscope as part need input." simulation and modelling as basis for innovation.

THE MICROSCOPE

of Physics. They possess a NOK ~20 million state-of-the-art working on this with a thesis on precipitate microstructures. transmission electron microscope (TEM) allowing studies down to 0.06 nanometre. The distance between atoms in materials KNOWS ALUMINIUM is in the order of 0.2 nanometres, so only now will the If Professor Holmestad is new to CASA, she is by no means new researchers be able to study in detail what happens to the atom to aluminium or to external partners. Norwegian aluminium structure when the materials are subjected to impacts such producer Hydro has a decades-long relationship with NTNU's as collisions and explosions. The same goes for temperature Department of Physics and depends on its scientific results changes. One of the many areas where such knowledge will to keep up front. Part of the current cooperation through the become increasingly important is operating oil rigs in Arctic "Hydro Road Map" scheme was developed in the tripartite the alloying atoms:

of the NORTEM large scale infrastructure project, where NTNU collaborates with SINTEF and the University of Oslo. Starting now, SFI CASA will be able to share the benefits. Emil Enter Professor Holmestad and her team at NTNU's Department Christiansen, the first PhD candidate on this task, is already

relation between Hydro, SINTEF and NTNU. CASA director "I'm particularly fascinated by the copper atoms."

"I feel privileged for taking part. This kind of long-term "By smart alloy design, we can reduce the total solute, the

Likewise, she has cooperated with CASA research partner SINTEF for years and years. She thoroughly enjoys the AS FAR AS NECESSARY

"It's rewarding when partners like Hydro. Benteler and SAPA

In its pure form, a piece of aluminium is bendable with pure manpower. The application value starts when alloving with silicon, magnesium, zinc, copper, silver, germanium and other for the partners to use. metals, where only a per cent or two dramatically changes the characteristics of the material. In age hardenable aluminium **FAITHFUL** alloys this is due to nano-sized precipitates – small needles CASA's newly recruited professor has remained faithful to observe in the microscope. As is the case for any cake in the of four half-year visits to US universities in Arizona and Illinois. oven, time and temperature are crucial factors.

In Holmestad's case, she admits a special weakness for one of orienteering. Now she's taken up the activity, but at a more

Magnus Langseth was one of the creators. Holmestad is one At the moment, Holmestad is working on a project that seeks to without loss of strenath.

alloys can be easier processed and Hydro saves money."

Holmestad's role in CASA will be to go as far down in detail as necessary, not further. She and her collaborators will try to establish what is needed to make more suited materials for any given purpose; be it construction details that might be applicable in the new government administration complex in Oslo, a car part or another industrial application.

With time, the findings will be added to the SIMLab Tool Box

She's run since childhood. Early on she was attracted to modest level. And of course, she still runs in the corridors

Partner Tools save MILLIONS

On the one hand, SFI CASA is brand new. On the other, the partners can start using a wealth of scientific findings right from the start. Here's the SIMLab Tool Box for you.

with SIMLab's Box. So, better products is one result. Money saved applications are ever increasing. The image of the basic research research. Today, Odd-Geir Lademo is in no doubt whatsoever that is another.

speak in the rest of the paragraph: the Results Organizer is dedicated software. The portfolio is steadily growing. designed to support experimental planning, execution and processing, the Digital Image Correlation allows determining the JOINT OWNERSHIP When predecessor SFI SIMLab was halfway through its eight year displacement field on material/structural tests based on digital The SIMLab Tool Box is developed and owned jointly by NTNU programme, some of the partners expressed concerns: would the images and Mat-Pre-Post is a tool for parameter identification and its research partner SINTEF. This cooperation is reflected in **FUNDING INCLUDED** research give them the innovative tool they needed? That's when and tailored pre- and post-processing. Finally, the Model Library CASA's Methods and Tools Programme being headed by Research To some extent, Lademo understands the original scepticism on Audi's Thomas Hambrecht came up with the idea of a Tool Box. He is a collection of customized, user-defined material models and Director Odd-Geir Lademo and Research Scientist Térence the Advisory Board: solution techniques

IN USE WITH SUCCESS

was familiar with similar tools elsewhere

respects it is the very foundation of CASA.

made large improvements on their products thanks to one of structure and user-friendliness improved.

...AND NOW

worked steadily to develop the Box further. The four initial tools ones. It has already proven useful. Industrial implementation is have become eight, including micro generator and forming limit accelerating. Many of the partners will naturally want to protect apps, the latter being used on metal sheets in car production and MET WITH SCEPTICISM their innovations, but this much can be said: one partner has the like. New programs are added, database solutions attached, At the start, the idea of the Tool Box was met with considerable researchers are closely involved with improving the Box. This is

being performed in the SFI, the partner logos in a circle around it the Box is a success.

Coudert at SINTEF Materials and Chemistry. The development of "I think it has to do with the board members not being familiar

scepticism, not the least on the Scientific Advisory Board. There not in conflict with the basic research to be carried out in an SFI the models in the Box. Another partner has compared a Tool Box Today, the Tool Box can be used to model materials, move further was fear that it would be costly to maintain due to the financial as methods and tools are a must with respect to innovation and model with competing models and received more reliable results down in scale and work on multi-scale modelling. Industrial and manpower requirements and have negative impact on value creation at the industrial partners.

and the Tool Box between them is increasingly accurate and truthful. "In fact, we have saved money and we are more efficient than we This includes assistance from members of the research team at would have been without it. The synthesis of our joint efforts is When the first Tool Box version was presented in 2011, it NTNU and SINTEF when partners write applications for innovation the decisive factor. None of us could have carried this through on contained four basic tools, and bear with us for a bit of scientific projects. It also includes commissioned testing and development of our own. Other research centres are looking to us to learn from what we have achieved

> The partners get access to massive amounts of research at a low cost. It is a very good deal for them."

the Tool Box is a central part of the programme. This will include with our Nordic tripartite model of universities, independent improvement of prediction accuracy, efficiency and robustness of research organizations and innovative business working together Now the Tool Box is in place and available to all partners. In many

Since then, a number of dedicated researchers and students have

existing models and methods as well as the development of new

for the common good. The continued benefits of the Tool Box is part of the package. It is funded by the partnership fees, as simple as that," he states.

That is not to say that the Tool Box doesn't cost. Several



A perfect MATCH

With thorough insight in aluminium, automotive industry and anti-terror, it's hard to imagine a better match for SFI CASA than SINTEF's new CEO Alexandra Bech Gjørv.

She is a lawyer by training, with a degree from Oslo, a diploma CEO at the annual conference of the Confederation of in legal studies from Oxford and a licence to practice law in Norwegian Enterprise. In her presentation, she said: "We are New York. Today, she regards this part of her past more like best friends with NTNU". a detour: "Looking back, I see a pattern that almost looks She is well aware that her 2000 colleagues in Scandinavia's planned, with three significant threads. First, I have always largest independent research organization rely heavily on the taken an interest in industrial development. Second, I enjoy the cooperation with the neighbouring university. For the partners challenge of getting complex organizations to work well. Third, in SFI CASA, access to the SIMLab Tool Box, owned jointly by advanced sales of services in highly competent enterprises has NTNU and SINTEF, is an essential foundation for innovation and been a recurring trigger."

HYDRO AND STATOIL

vears behind her in the automotive structures division. When terrorist attacks. Hydro and Statoil joined forces, Bech Gjørv was the only Hydro She makes a point of not commenting whether the police have executive to continue on top in the merged company. All in all, taken on the lessons learned. On the other hand, few have a she worked 17 years for the two companies. The tasks ranged better impression of the results of the terrorist attack. This from wind turbines to carbon capture, from aluminium to HR. The multifaceted experience is no handicap in her new position: SINTEF develops everything from data chips for space stations She readily recognizes the importance of SIMLab's and CASA's exciting. I get completely absorbed," she confesses. to fodder for fish farms.

BEST FRIENDS

Alexandra Bech Gjørv gave her first major address as SINTEF

commercial harvest from the scientific findings.

LESSONS LEARNED FROM TERROR

SINTEF is not new to Bech Gjørv. She's been a board member for As most Norwegians know, Bech Gjørv headed the fact-finding four years. At the time, she was a Hydro executive with several commission appointed by the government after the 2011

> includes the massive impact of the explosion outside the government administration complex.

advances in multi-scale testing, modelling and simulation of materials and structures. One of the many areas where At the time of the interview she is full of enthusiasm over government administration complex:

SIMULATIONS SHOWED THE NEED

of planning a government complex with an architecture and choice of materials that balances the real needs for security **A NEED TO CULTIVATE** with the equally important need for democratic access.

Our commission did in fact document that such simulations done before the terrorist attack showed a need to block the street leading to the Prime Minister's office for vehicle access, while allowing pedestrian access was an acceptable risk. The mistake made was in not implementing the governmental decision to block the road for vehicles," she says.

CURIOSITY-DRIVEN

Curiosity killed the cat. Luckily, it doesn't work like that for humans. In Alexandra Bech Gjørv's case, it is what drives her. "At the same time, I'm disciplined. In spite of a spontaneous nature, over the years in executive positions, I have learned to served NTNU, Norwegian industry and SINTEF well over the enjoy working systematically and with a plan. It definitely helps that I find whatever I'm working with at any given moment very to cultivate and perhaps formalize the relationship a bit more.

this kind of research is needed is in the planning of the new the fruits of a long-lasting collaboration between her old employer Hydro, and SINTEF and NTNU: Hydro has decided myself," she sums up.

to invest almost NOK 4 billion in a pilot for the world's most "Simulations of structural vulnerability are a critical enabler environmentally friendly aluminium plant at Karmøy.

SINTEF's new CEO stresses the importance of high ambitions as well as the courage to ask difficult questions. This includes a diligent search for the highest risks, whether the topic is avalanches, terror or refugees.

"SINTEF's mission is to guide enterprises on the road to creating value by solving problems in society," she says.

She looks forward to continue the cooperation with best friend NTNU, including CASA. She also is well aware of the continuous tension between a university dedicated to basic research and an independent research organization that must always have the market in mind.

"I think this fundamentally is a constructive tension that has years. However, as the institutions have grown, there is a need I also have some ideas around how the Ministry of Education could facilitate the university/institute relationship, but I shouldn't get too excited before the ideas are fully explored with people more experienced in university politics than Potentially, a hundred years of student labour is available to the partners in SFI CASA. Toyota has caught the essence. They've got help twice already.

John, Yann, Avensis and POLYMERS

For his project assignment before starting as a master's **REALIST** student, John Fredrick Berntsen planned to crush aluminium Luckily, Ernesto Mottola at Toyota's Technical Centre reacted to work as an intern." John Fredrick applied and got the post. "It was a childhood dream come true: to be able to work in the His attitude came in useful in two ways, since John Fredrick abroad, to see what it was like. It was a great opportunity to obstacles on the real thing as well. learn," he says. Learn he did. After surmounting some serious Toyota wanted to use the lower absorber of an Avensis as a test

A WISH TO VERIFY

Toyota's ambition was to verify the qualities of the material model in SIMLab's Tool Box.

To start with, they wanted to perform a test on a simple polymer box of the kind you find in any hardware store. This in the lab. We wanted to put the absorber in the drop tower. was easier said than done.

thickness and quality varied. This affected the results of our impactor would bend out of shape or break. John Fredrick confesses

profiles. In came an email from SIMLab Professor Arild Holm with a realist's attitude. "This is research. There are always Clausen: "Toyota in Brussels is looking for a master's student" unexpected results," he said, quickly followed by suggestions

automotive industry, to get hands on experience at a workplace and his Toyota mentor Yann Claude Ngueveu ran into serious A BETTER MODEL

obstacles, he was relieved to get some valuable results in the specimen for industrial verification of SIMLab's polymer model. After meticulous preparations in Brussels, John Fredrick returned to NTNU in Trondheim for intensive days of component testing. That's when the real trouble started.

DISASTROUS RESULTS

"My task was to reproduce the pedestrian protection simulation That turned out to be a challenge in itself. The absorber has see how even small details could greatly influence the results." "We discovered that the boxes didn't have the properties complex geometry and for the test to give valuable results we described by the producer. The geometry was wrong; the needed to control the movements. There was a risk that the TOYOTA FOLLOWS UP

very low speed, with impacts at four metres per second. The industrial implementation.

video footage showed bending far beyond the expectations, endangering harm to the impactor. At the same time, the cause of the vibrations measured was not visible in the video footage. The results were nowhere near the simulations. Something was very wrong," John Fredrick confesses.

to Brussels without results was not an option and the results he had were useless. In the end, he and the scientific staff exchanges: at SIMLab had to improvise with pieces of wood to keep the absorber in place. Finally, he succeeded: with surprises master's student that visited Toyota did so as a result of his alleviated, SIMLab's polymer model showed significant improvements from currently implemented models right from at Toyota were eager to continue. I hope and think this will the first simulation. It proved to have qualities that describe serve as a trigger for further exchange of scientific staff," Holm the physics of polymers better than alternative models

Interestingly, in John Fredrick's words: "It was almost scary to

Toyota's satisfaction is illustrated by the fact that they have Over CASA's eight year programme period, 200 master's tests significantly and reduced their value. It also stole time," The first real tests were a total disaster. We started at a decided to follow up on the work with a clear ambition to reach students can potentially spend half a year with a partner.

"The merit of SIMLab's material model and John Fredrick's activity is that realistic simulation can really help in making a good and robust design," says Ernesto Mottola.

CASA is also continuing. David Morin, head of the structural joints programme, is doing further modelling.

MUTUAL BENEFIT

The situation obviously put him under a lot of stress. Returning Professor Arild Holm Clausen, head of CASA's Polymeric Materials programme, stresses the mutual benefit of such

> "This is an invaluable method for technology transfer. The first personal initiative. It was an immediate success, so the people

> John Fredrick Berntsen is in no doubt whatsoever about the usefulness of his stay: "It has given me much better basis for my present PhD work on structural joints than I would have had otherwise "





Hunter INSIDE

If you're grateful for Magnus Langseth's scientific contributions, say thank you to his wife. She stopped him from taking over the family farm. What she hasn't done, is take the hunter out of him.

A good number of Norwegian municipalities don't hold meetings ...AND BOY for several weeks each autumn. During the moose hunt, no one At the same time, he is a boy, beaming with childish joy. His will show up. The hunt is sacred. The mixture of excitement, companionship, autumn leaves at their most colourful and an act swiftly likewise. His laughter echoes in the corridors. occasional blue sky beats everything. Plus, there's delicious food to be harvested. One of this writer's fondest childhood memories is the smell of moose kidneys sizzling in the pan.

WORLD LEADER...

Point taken? SFI CASA Director Magnus Langseth is a hunter. Come late September, he's gone. Crocs empty in the office, toes happily curling in forest boots.

The link? Possibly none, but a moose hunter needs to be alert, focused, patient and good at communicating with the rest of well-being. We enjoy each other's company." the team. This just might be some of the qualities that have brought SIMLab and CASA to their current position.

Evaluation of SFI SIMLab, they described Professor Langseth like this: "of remarkable scientific and professional management quality".

He is Editor-in-Chief of the International Journal of Impact Engineering and sits on two more editorial boards. In other words, he is a world capacity in his field.

energy and enthusiasm never fails, his creativity and ability to

There are other sides, too, he confesses:

"I very much need to feel that everyone is on board. Sometimes, when I say or do things, I can spend days waiting for signals that everything is OK."

"The group has been likened to a family. What do you think?" "I sympathize with that. Everyone knows each other really well; the atmosphere is friendly and very open. In a family, mom and dad should be present. With us, senior professors arrive early and they are not the first to leave. There is a general sense of

WHAT WOULD HAPPEN IF...?

When the Research Council of Norway wrote their Midway A recent evaluation by three international panels found that 2 out of 64 Norwegian technology research groups were world leading. SIMLab was one of them.

> Professor Langseth emphasizes the combined effort behind. The group that has so far culminated in the NOK 300 million SFI CASA programme has taken 25 years to build.

Some people and institutions have been particularly important.

Professor Per Kristian Larsen was vital from the start. He was in structural applications. Langseth's supervisor for his PhD thesis.

Statoil Director and NTNU Adjunct Professor Jon M. Huslid played a decisive role in choosing impact as the focus point. In 1983/84, he commissioned and financed Langseth's PhD thesis. "Statoil were concerned what would happen if a 3-ton drill pipe dropped to the deck of an oilrig during installation. He wanted us to find out. We wrote a description of the project and applied for NOK 80 000. We got one million. This enabled us to build a test rig that is still in use. We developed a formula model that describes how much energy is needed to penetrate a steel plate. The formula still stands," says Langseth

IN COMES ALUMINIUM

R&D at the Norwegian Defence Estates Agency. He and Hydro Director Einar Wathne were central in the funding of research activities and the lab that is such a crucial part of SIMLab.

Hydro's interest started after another decisive moment in And the farm? Hasn't seen cows and sheep in decades. SIMLab/CASA's history, namely the discussion between Larsen, Langseth and Odd Sture Hopperstad about the future of the research group. They decided to dive into aluminium and the focus was placed on the modelling of the material and its use

The focus on impact in turn triggered Arnfinn Jenssen, Head of

As Langseth puts it: "Hydro had a lot of metallurgists, but limited competence in modelling and structural design."

RECRUITMENT

Arnfinn Jenssen also provided valuable staff by sending newly graduated civil engineers to SIMLab for their military service. One of them was Professor Tore Børvik. Today he is CASA's Co-Director, Professor Arild Holm Clausen and SINTEF Research Director Odd-Geir Lademo were recruited in the same way. In addition, Professor Langseth stresses the theoretical capacity of CASA's Research Director Odd Sture Hopperstad: "Our cooperation has been extremely rewarding, with me on the more practical and administrative side."

Some of this is history, some is still actual fact. As far as the future is concerned, Magnus Langseth is happy to see that CASA succeeds in its strategy of recruiting candidates primarily from NTNU.

Bullet proof windows don't help much if the whole building comes down on you. Obvious? Sure, and it is one of the classic dilemmas facing the people who plan the new government administration complex in Oslo.



Solid may be DANGEROUS

and costly procedure. In Norway, other methods are chosen. the international expert network CASA is part of. The value of of view." A decades-long cooperation between the Norwegian Defence this should not be underestimated." Estates Agency (NDEA), a growing number of industrial partners "You already cooperate closely with NDEA and the Norwegian PHD PROJECTS COMING UP the design of crashworthy and protective structures. When the work just as well getting the results from them?" research group was awarded another eight year programme, SFI CASA, the Ministry of Local Government and Modernisation "We could and do get results from them. In fact, we rely heavily concerning what materials to use where. We also expect that Anders Behring Breivik did. Services explains why:

for the objects we are going to build. This includes the capacity be the formal commissioner of the government administration Furthermore, CASA will produce a lot of students with more needed to be closed to public traffic. As we all know, nothing to simulate with a high level of precision how impacts affect complex. Along with us, they will have to draw on advice from whole structures, what fragments do to them, how resilient they a number of expert groups, including the military services and happened otherwise. This is useful both to the ministry and to finished in 2011. are and so on. We need to be certain that they can handle an the police. impact. Concluding afterwards that they didn't is not an option."

NOT FOR SALE

"Can't you just buy this knowledge abroad?"

"We have experienced more than once that this kind of expertise is so valuable. They will be able to provide us with much more

decided to join as partners. Deputy director general Christian on their expertise and we specifically do not have any ambition constantly challenged by our suppliers on the specifications of solid and expensive than necessary. "We need an environment that can find the structural solutions our orders. Statsbygg, which is also part of our ministry, will

> This means that we will be on constant lookout for vulnerable years' time. Three years ago the price tag was estimated at NOK areas, compensatory measures and so on. This is where CASA five billion upwards. Since then it has increased considerably.

In the US, they construct huge buildings for the sole purpose is much more accessible if we have some competence of our accurate information about what is needed than we would have of studying the effects of massive impacts. A time-consuming own to offer in exchange. Our partnership gives us access to had otherwise. We need to approach this from a scientific point. A news broadcast on Norway's state channel NRK from 2006

projects linked directly to your needs?"

the increased expertise will save us a lot of money. As an The broadcast was only aired locally in 2006. After the attack

expertise and closer attention to this area than would have society as a whole," Horst says.

We obviously don't want the buildings to look like fortresses. The plan is for the administration complex to be finished in ten

HISTORIC BROADCAST

will sit in many people's memory as long as they live. It opens with the following words:

"The obstructions outside the high-rise in the government and NTNU has carried SIMLab to a world-leading position in National Security Agency, another CASA partner. Wouldn't it "Does this also mean that you see the need for specific PhD" administration aren't exactly deterring. Anyone can place a car full of explosives in front of the government building."

"Certainly. There is a need for basic research for instance" Five years later, on 22 July 2011, that is exactly what terrorist

Fredrik Horst at the Department for Buildings, Security and to carry out research in this field on our own. However, we are example, we reduce the risk of building something much more it became known to the whole nation. It contained an interview with Christian Fredrik Horst where he presented the result of a risk analysis, concluding that the street in front of the building happened. Protests sent the plans on a journey that still hadn't

"WHAT HAVE WE LEARNED?"

"Above all that the unthinkable isn't unthinkable and that the time factor is crucial. The challenges posed by varying proposals, solution procedures and so on are massive and demand cooperation on a scale nobody had foreseen."





Don't READ this

Really, you shouldn't. It doesn't belong here. It's not about CASA. It didn't even take place last year. OK?

Not OK? Still reading? Well, don't say you didn't get warned! Any further reading is at your own risk. So, here goes:

NOK 30 MILLION GRANT

SFI CASA Professors Odd Sture Hopperstad. Tore Børvik and colleagues have just received a NOK 30 million grant to based Modelling of Ductile Fracture in Aluminium Alloys", to "develop and validate a novel microstructure-based SAME PEOPLE ON SAB abbreviated: "FractAl".

"What we are aiming at is to enable the design of both the material and structure in an optimal combination without having to use time-consuming and expensive mechanical tests." Hopperstad and Børvik explain.

IN POPULAR WORDS

An attempt at a popularized explanation of their ambition might

Imagine you understand better than anyone before you what If there ever was a win-win situation, this is one. SFI CASA and Børvik underline. structural components with much less testing than previously. Then you will have saved a lot of money and laid the foundation for vastly improved products and production processes.

Council of Norway are highly prestigious and aim at world leadership. In this case, it gives the core team of Hopperstad, Børvik and Ole Runar Mvhr from NTNU's Structural Impact Laboratory along with partners Ahmed Benallal from the Since this is basic research, the results will be published in in Norway, SIMLab received top score on scientific quality, investigate new ways of designing aluminium structures to French university ENS Cachan and Jonas Faleskog from peer-reviewed journals and be made available to the public. prevent failure. The title of the project is "Microstructure- the Royal Institute of Technology in Sweden the opportunity modelling framework for ductile fracture in aluminium alloys - thus reliably introducing multi-scale simulation in design of is underlined by the composition of the project's Scientific aluminium design against failure".

This is basic research with no strings attached. The five-year and CASA Scientific Advisory Board members John Hutchinson Sometimes, uncovering the secrets of a very specific area of project involves four PhD candidates and two post-docs and is and David Embury. financed by the Research Council of Norway and NTNU. Startup is in August this year.

WIN-WIN

happens when aluminium breaks. Imagine you know the stands to reap great benefits from the research. Where CASA is atoms react to different kinds of strain. Imagine you are able to analysis of steel, aluminium, polymers and glass, Toppforsk build models that identify the optimal combination of alloy and enables researchers to dedicate a concentrated effort in a very specific area. The challenges of FractAl could have been such detail

The outcome for CASA is a wide range of scientific findings that **HEADING FOR THE ERC** Grants from the FRIPRO Toppforsk scheme from the Research will be made available to the partners by help of the SIMLab It is an explicit requirement for the Toppforsk grant that the Tool Box, where everything will be implemented. In this way, NOK 30 million of research will give an important boost to the Research Council (ERC). In the recent international evaluation rest of CASA's activity.

The close relationship between the FractAl project and CASA Advisory Board, consisting of CASA Director Magnus Langseth the ERC.

"We are very happy to have them on board, both because of leading. FractAl aims at consolidating this position." their capacities and because their double position will help us

international researchers within their fields. While Benallal is a long-standing professional companion, the collaboration with been part of in the SIMLab research group. Faleskog is more recent. The five researchers also complement Børvik at the top.

project will file an application for a grant from the European of Basic and Long-term Research in Engineering Science productivity, relevance and impact for society, illustrating the group's world-leading position.

So, when you are world-leading, where do you go? Triggered by their faculty, Hopperstad, Børvik and colleagues decided to go for a Toppforsk grant which will in turn direct them towards

research can bring the big picture significant steps ahead. The topic for the project is an area where SIMLab is already world-

Today, Odd Sture Hopperstad and Tore Børvik are Research Director and Vice Director at SFI CASA, respectively. They properties of different alloys down to the nano level and how the a NOK 300 million eight-year programme working on structural. The international partners - Benallal and Faleskog - are leading strongly emphasize that qualifying for the Toppforsk grant would have been impossible without the foundation they have

> There will be close interaction between the CASA and FractAl approached through CASA, but not to the same extent and in each other scale-wise, ranging from Myhr at nano level to programmes which was an important feature that was stressed in the application for the Toppforsk grant.