


A black and white photograph of a live music performance. The stage is bathed in bright, focused beams of light from spotlights, creating a dramatic contrast against the dark background. Silhouettes of musicians and their instruments are visible, including a drummer at the center and keyboardists on either side. The audience's heads are visible in the foreground, looking towards the stage.

Creative use of  
Cross-adaptive effects  
for live performance


# Workshop outline

- Current research  
on creative use of cross-adaptive techniques at NTNU
- Technical setup  
in standard DAW
- Practical demonstrations


# Live processing



# Adaptive processing




# Cross-adaptive processing





S. Fasciani



J. Reiss et.al.



M. Stabile



# Integration in a DAW

Sidechaining




Dual mono input




# More flexible routing and mixing

Many inputs to any effect



Control signal routing layer (OSC)





<https://github.com/Oeyvind/interprocessing>

A black and white photograph of a live music performance. A band is on stage, illuminated by several bright spotlights that create strong beams of light against a dark background. The stage equipment, including a keyboard and drums, is visible. In the foreground, the silhouettes of audience members' heads are visible, looking towards the stage.

Creative use of  
Cross-adaptive effects  
for live performance



UC San Diego



**Maynooth  
University**  
National University  
of Ireland Maynooth



**Norges  
musikkhøgskole**  
Norwegian Academy  
of Music

 **Queen Mary**  
University of London



**NTNU**  
Norwegian University of  
Science and Technology

+ Marije Baalman, Maja S.K. Ratkje, Siv Øyunn Kjenstad, Gyrid N. Kaldestad

